II. Customfield creation and configuration

Kepler - Color fields | SLA & Custom actions app gives you the possibility to add one or more indicators.

Creation

1. Add a new Customfield (Administration > Issues > Custom fields) ;



2. Select "Kepler - Color fields | SLA & Custom actions" type;

Select a field type		Q SLA
All Standard Advanced	○ ॼ ●	SLA Monitoring for JIRA Give color to an issue depending on processing time.
Find more custom fields		Next Cancel

3. Configure the custom field information: name and description.

Administration 4.5	Configure 'SLA I	propert IVS, Canton Name for Its.		
August 1. 1997	Name*	Processing time		
1004 T-1000	Description		1.00	
State Spectra			er type of colors	
Tota - tanks				
Markhan				
Martine starts				
from the second se				
Inter Spr. scene schemes				
		Previous Create Cancel		

Configuration

 $\label{eq:lick} \textbf{1.} \ \textbf{Click on Edit configuration} \ in the custom field configuration; \\$

Jira Core Dashboards 🗸	Projects 🗙 Issues 🗙 Create		Search	۹	4 [€]	?	o	
Administration a Se Applications Projects Issues	arch Jira admin Manage apps User management Latest upgrade report Systı	em					1	Q)
ISSUE TYPES Issue types Issue type schemes	Configure Custom Field: Processing time Below are the Custom Field Configuration schemes for this custom each project context or in a global context. Moreover, project level	ield. Schemes are applicable for various issues types in a particular cc schemes will over-ride global ones.	ntext. You can configure	a custon	n field d	lifferent	ly for	0
Sub-tasks WorkFlows Workflows Workflow schemes	Add new context View Custom Fields Default Configuration Scheme for Processing time Default configuration scheme generated by Jira						01	
SCREENS Screens Screen schemes Issue type screen schemes	Applicable contexts for scheme: Edit Cor Issue ty O Default value: Edit Def	figuration be(s): lobal (all issues) ault value						
FIELDS Custom fields Field configurations Field configuration schemes	Configuration: Edit Cor	inguration						

2. A screen with four (4) tabs is displayed; to complete the configuration you have to fill in the fields of each tab.

Configuration						
Configuration						
« SLA Monitoring for JIRA » allows to co	nfigure the monitoring indicator field	d's co	lors a	nd shapes depending on elaps	sed time be	tween actions
(1) (2) (3) Configuration Planning Scheduler	(4) Actions					
comgaration naming scheduler	Actions					
	Define Elapsed time by selecting the	issue	field	containing the Beginning Date	/Time and E	Ind Date/Time
Interval	Begining Date/Time	~	()	End Date/Time	~	0
Monuting unit	Harma					
Westing unit	Hours	*				
Display the field value ?	• Yes					
	O No					
Min value to display Cf from	0					
Introduce a format for the value	###		(j)			
			Ŭ			
Choose the shape of the flag						
	Diamond					
Add a new level	Add					
	Done Cancel					

- 1. Basic configuration
 2. Planning
 3. Scheduler configuration
 4. Actions